

## Slices & Multidimensional Lists (Q1)

- Create a nested list  
`>>> b = [[9,6],[4,5],[7,7]]`

- Get a slice  
`>>> x = b[:2]`
- Append to a row of x  
`>>> x[1].append(10)`

A: [[9,6,10]]  
B: [[9,6],[4,5,10]]  
C: [[9,6],[4,5,10],[7,7]]  
D: [[9,6],[4,10],[7,7]]  
E: I don't know

30

## Slices & Multidimensional Lists (A1)

- Create a nested list  
`>>> b = [[9,6],[4,5],[7,7]]`

- Get a slice  
`>>> x = b[:2]`
- Append to a row of x  
`>>> x[1].append(10)`

A: [[9,6,10]]  
B: [[9,6],[4,5,10]]  
C: [[9,6],[4,5,10],[7,7]]  
D: [[9,6],[4,10],[7,7]]  
E: I don't know

31

## Slices & Multidimensional Lists (Q2)

- Create a nested list  
`>>> b = [[9,6],[4,5],[7,7]]`

- Get a slice  
`>>> x = b[:2]`
- Append to a row of x  
`>>> x[1].append(10)`
- x now has nested list  
`[[9, 6], [4, 5, 10]]`

A: [[9,6],[4,5],[7,7]]  
B: [[9,6],[4,5,10]]  
C: [[9,6],[4,5,10],[7,7]]  
D: [[9,6],[4,10],[7,7]]  
E: I don't know

32

## Slices & Multidimensional Lists (A2)

- Create a nested list  
`>>> b = [[9,6],[4,5],[7,7]]`

- Get a slice  
`>>> x = b[:2]`
- Append to a row of x  
`>>> x[1].append(10)`
- x now has nested list  
`[[9, 6], [4, 5, 10]]`

A: [[9,6],[4,5],[7,7]]  
B: [[9,6],[4,5,10]]  
C: [[9,6],[4,5,10],[7,7]]  
D: [[9,6],[4,10],[7,7]]  
E: I don't know

33